




INTERIOR DOORS - COLLECTION
Perfect in form and function.





Customizable & Suggestion



We focus on the production of full series door. We provide engineering and household clients with high-quality, cost-effective, and complete series products. In terms of service, we provide various program customizations such as category materials, structures and designs.



Melamine & Painting



SUNPROOF

EASY CLEAN

WATER PROOF

TEMPERTURE PROOF



DURABLE

KEEP WARM



FRIENDLY ENVIRONMENT



PURE COLOR SERIES



EL01

Lacquer / Melamine door
White is not always white



EL02




Elite support pure color customization in RAL color or Benjamin Moore paint color



Door leaf + door frame + door architrave form a unit



DECORATION STRIP/GROOVE DESIGN




High gloss door with piano paint, make internal decoration more special and slight luxury


EL03




EL04




Line with aluminum strip or crystal paint filling



White



Black



None


DECORATION GLASS DESIGN



EL23




EL24



26 27 28 29 30 31

32 33 34 35 36 37

38 39 40



Door leaf with light cutout, glazing bead type L



Clear glass



Frosted glass



Coated glass



Glass in the recessed door leaf.

Glass thick chosen: 5/8/10mm



EL25

Platen technology



EL41



EL43




EL44

Deep press/engraving



EL42



45

46

47

48

49

50




WHITE

EL51




BLACK



Door leaf with horizontal hollow profiles




EL52



Door leaf with attached strips




EL53




Door leaf with attached strips




DOOR OPENING TYPES




A-swing unequal



B-swing double



C-sliding barn door



D-sliding pocket door

According to the size of the rough opening, you can choose the way you like to open the door, whether it is swing type of single door / double door/unequal door, sliding type of barn door /pocket door, we can customize it for you



WOOD GRAIN SERIES-MELAMINE

(Hi, we can make by natural veneer as well!)



EL54



BMSD



EL55



MSQD

Color selection



MKAY



BHDX



HGLY



EL56



EL58



BMSD



EL57



MKAY




EL59



SXT



EL60



YLHT



EL61



XCM



62



HYNH



63



XHCG



64



YBFQ



ALUMINUM DECORATE STRIP DESIGN



EL65



903



58



607



705



668



702



905



309



83



206



701



77



87



01



17



EL66



Cloth pattern



Technology Gray



EL67



XYLS




LGSY



HYNH




EL68



70

71

72



73

74

75

76



EL69



ALUMINUM SILENT WOODEN DOOR SERIES

By upgrading the wooden door, the transition layer is upgraded from MDF material to Plywood material. The edge sealing around the door leaf is covered with aluminum alloy. At the same time, the aluminum alloy door frame replaces the wooden door frame. Functionally, the wooden door is more waterproof, more stable, and has a longer service life. In appearance, it adds the unique modernity of metal to the existing classic sense of wood.



EL77



EL78

The style collision of stone veneer and metal frame



79



80



81



82



Elite Innovative structure make your door stronger

High hardness, good gloss, no deformation, anti-aging. Through secondary processing, the weight of wood can be reduced by 40%-50%. Reduce wood stress and make the structure more stable. Double X mechanical structure increases the elastic coefficient of wood in the vertical direction by more than eight times.


High-strength colorful finish

S-mechanical structure

Solid wood LVL structure



Aluminum door frame with 45 degree cutting edge




Upgraded version of sound insulation tape edge



EL83



OVERAL DECORATION CUSTOMIZED-INVISIBLE DOOR



Not only limited to the white door hidden in the white wall, more wall panels with wood grain color choices, so that the door and the wall are truly integrated and more invisible

Aluminum frame invisible door

(The structure diagram is for reference only, and aluminum frame profiles are recommended according to the actual situation)



Support wall panel customization



EL84



WOOD GRAIN SERIES-NATURAL VENEER



EL85



EL86



Horizontal veneer

Vertical veneer



Finish with veneer painting process, high class for home/hotel/villa/high end project.



The horizontal and vertical grain natural veneer texture brings you a different natural feeling



EL92



EL93




88



89



90




Barn door type



Pocket door type

Selection of color





HEIGH CLASS - NATURAL VENEER




EL88

EL93



Silver Apricot Riv-34



Teak wood



EL89



HOT SALE BLACK WALNUT VENEER DESIGN



EL90



EL91



EL92



EL93




EL94



EL95



5mm width
line+3mm groove
effect



8mm width
line+5mm groove
effect

More design waiting for your share,we will will support custom solutions for you!



HEIGH CLASS - NATURAL VENEER



EL98



EL99






GOST/MAGIC SLIDING DOOR




EL101



Hardware



EL102



Movement direction view



EL 103



EL104

FUNCTIONAL DOOR--DESIGN CUSTOMIZABLE



Fire certificate: 30min,60min,120min



Smoke protection



Fire protection



Burglar resistance



Soundproof



House garage doors are recommended use firerate at 30/60 minutes




Professional fireproof internal structure




Wherever people come together, at home, at work, in hotels or public buildings, safety comes first. You don't have to expect the worst, but tested and approved fire protection doors are extremely reassuring. Preserve, secure and protect. It is our job to implement this function in the best possible way.

Part of drawing display

Drawings on the specimen provided by the Sponsor (1)



Fire proof door leaf structure



Fire proof door frame structure





WATER FUNCTION DOORS

-Damp room / wet room



Damp-proof doors type A(Plywood): Recommended for general Sanitary areas in private buildings with humidity.

Damp-proof doors type B(HDF): Recommended for general Sanitary areas in private or public buildings with high humidity.

Wet room doors(WPC): Recommended for rooms with very high humidity and with frequent splashing water or other direct exposure to moisture





FUNCTIONAL DOOR




Anti-bacteria



Easy to clean



20mins fireproof



High Pressure Laminate




Mostly use for hospital for anti-bacterial, easy to clean and 20mins fireproof


DOOR HOLE SIZE MEASUREMENT GUIDANCE




Take the minimum value Take the minimum value Take the maximum value



Notice: The length and width of the error exceeds 20mm need to be adjusted



T-TYPE WALL HOLE




CORNER WALL TYPE HOLE


Remark:

1. When measuring the thickness of the wall, please pay attention to whether the wall needs to be installed with ceramic tiles, reserved thickness of the decorative material.
2. T-type wall hole & corner wall type hole (blue area) --- Need to make a "fake wall" on the side of the flat wall before installation. The width is no less than 50-100mm, to prevent door frame installation failure or asymmetry.


OPENING DIRECTION GUIDANCE




A Left Hand Inswing




A1 Left Hand Inswing Double Door




B Right Hand Inswing




B2 Right Hand Inswing Double Door




C Left Hand Outswing



C3 Left Hand Outswing Double Door



D Right Hand Outswing



D4 Right Hand Outswing Double Door



DOOR INSTALLATION

Easily removed the old frame.




1. Use a tool to pry the door casing/architrave cover wire out of the bayonet




2. Remove the patch which connection the wall & door frame, and saw off door frame



3. Remove the door frame from the wall




Door casing/architrave cutting type--45° & 90° compare



Easy installation of the new frame.



1. After adapting the skirting board to the new frame cladding, the frame is simply placed in the wall opening, aligned and with door frame fixed.



2. Professional assembly is continued with special assembly foam.



3. After the assembly foam has hardened the decorative cladding is inserted, the new door leaf is attached and the door handle is screwed on - done!



HARDWARE SUGGESTION



Stainless steel series



Zinc alloy series



Bronze with wood handle



FLAT
DESIGN
SERIES



EL001



EL002



EL003



EL004



EL005



EL006

WHITE
LACQUER
SERIES



EL007



EL008



EL009



EL010



EL011



EL012

COLORFUL
SERIES



EL013



EL014



EL015



EL016



EL017



EL018



EL019



EL020



EL021



EL022

WALNUT
SERIES



EL023



EL024



EL025



EL026



EL027



EL028



EL029



EL030




EL031



EL032



EL033



EL034

VENEER SERIES



SLIDING
DOOR
SERIES



EL035



EL036



EL037



EL038



EL039



EL040

CUSTOM DOORS



EL041



EL042



EL043



EL044



EL045

RAL or Benjamin color chart

Venner types custom

Red Oak	Red Oak	Red Oak	Red Oak
White Oak	White Oak	White Oak	White Oak
Walnut	Walnut	Walnut	Walnut
Mahogany	Mahogany	Mahogany	Mahogany

Varnish types



SELECT DOOR CONFIGURATION



SWING



DOUBLE SWING



POCKET



DOUBLE POCKET



MAGIC



BARN



BYPASS



BI-FOLD